SAFETY EXPRESS
Surface Preparation Equipment & Supplies
1.800.465.3898
safetyexpress.com

SAFETY EXPRESS

FIBRECLEAN

Select PRO

part of the Arrmaco family

TABLE OF CONTENTS

ABRASIVE BLASTING 00-00

Blasting Systems
Compressors
Accessories
Abrasives
Application Guide

GRINDERS & POLISHERS 00-00

Grinders
Polishers
Burnishers
Floor Machines
Accessories

SCRAPERS 00-00

All-Day Ride On
Walk Behind
Scraper Tooling

SHOT BLASTING 00-00

Shotblasters
Shot Blast Media
Accessories

SPECIALTY VACUUMS 00-00

Portable Industrial
Direct Bagging
Pre-separators
Intermittent Duty
Continuous Duty

CONCRETE RESTORATION 00-00

Toppings
Sealers
Joint Fillers
Densifiers
Cleaners
Accessories

TOOLING 00-00

Diamond
Achromic
Resin
Metal
Adapter Plates
Accessories

EDUCATION

Safety Express offers specialized surface preparation training with a wide range of industry specific classes from SSPC (The Society for Protective Coatings) along with courses from industry leading manufacturers such as Diamatic and Werkmaster Floor Systems.

Our goal is to partner with you in the success and growth of your organization by providing high-quality education along with all your surface preparation product needs.

COURSE	DESCRIPTION
WMCTS	WerkMaster - Certified Polished Concrete Training School

Contact us today or visit our website for upcoming courses and locations.

EQUIPMENT RENTALS

Call us today!
& RENT IT!

- ***DAILY***
- ***WEEKLY***
- ***MONTHLY***

Equipment rental from Safety Express is available to fulfil your needs on a daily, weekly or monthly basis.
Our customers benefit from competitive rates and 24/7 service.
Our team will assist in getting you what you need – when you need it!

DON'T SEE THE WHAT YOU NEED? **ASK US!**

EQUIPMENT LEASING

We also offer leasing packages tailored to your specific needs.

Special Package lease offers for Safety Express customers Include:

- Up to 60 months lease term
- No down payment or last month's payment required
- No penalty early buyout option
- Lease to own

Tools, accessories, training, consumables can be included in equipment leases. No additional lease administration fees or service charges.

IBIX NORTH AMERICA

The IBIX® family of blasting machines always deliver a perfectly consistent air and media flow, they notably require very low air volume and one operator only.

Light weight aluminum construction, can be run by most small compressors. Units include application gun, water nozzle and filling funnel with sieve. These versatile units are designed for multi-use abrasive media and are perfect for a wide variety of applications.

IBIX-HI-PRO60

- **Airflow rates:** 2.9-123 PSI (0.2-8 bars)
- **Minimum air:** 1 Hose:185 CFM (5200l/min)
  2 Hoses: 283 CFM (8000 l/min)
- **Hose length:** 30' (10 m)
- **Nozzle size:** 0.5"- 0.59" (12-15 mm)
- **Capacity:** 16 Gal. (60 L) 125 lbs.
- **Performance:** 250-300 sq. ft./h avg.
- **Empty weight:** 175 lbs. (79 kg)

ITEM	DESCRIPTION
IBIX-HIPRO60	IBIX-HiPro60 Portable Micro Abrasion Cleaning System

IBIX-PRO40

- **Airflow rates:** 2.9-123 PSI (0.2-8 bars)
- **Minimum air requirement:** 185 CFM (5200 l/min)
- **Hose length:** 30' (10 m)
- **Nozzle size:** 0.4"- 0.48" (10-12 mm)
- **Capacity:** 10.5 Gal. (40 L) 83.8 lbs.
- **Performance:** 100-200sq. ft./h avg.
- **Empty weight:** 105 lbs. (48 kg)

ITEM	DESCRIPTION
IBIX-PRO40	IBIX-HiPro40 Portable Micro Abrasion Cleaning System
IBIX-PRO40-L	IBIX-HiPro40L Portable Micro Abrasion Cleaning System - Includes Extension Lance

IBIX-PRO25

- **Airflow rates:** 2.9-123 PSI (0.2-8 bars)
- **Minimum air requirement:** 57 CFM (1500 l/min)
- **Hose length:** 30' 101 m)
- **Nozzle size:** 0.2"- 0.28" (5.5-7 mm)
- **Capacity:** 6.6 Gal. (25 L) 52.7 lbs.
- **Performance:** 55-75 sq. ft./h avg.
- **Empty weight:** 85 lbs. (38h kg)

ITEM	DESCRIPTION
IBIX-PRO25	IBIX-Pro25 Portable Micro Abrasion Cleaning System

IBIX-PRO9

- **Airflow rates:** 2.9-123 PSI (0.2-8 bars)
- **Minimum air requirement:** 17 CFM (500 l/min)
- **Hose length:** 20' (6 m)
- **Nozzle size:** 0.12"- 0.2" (3-5 mm)
- **Capacity:** 2.4 Gal. (9 L) 19.2 lbs.
- **Performance:** 35-55 sq. ft./h avg.
- **Empty weight:** 39 lbs. (18 kg)

ITEM	DESCRIPTION
IBIX-PRO9	IBIX-Pro9 Portable Micro Abrasion Cleaning System

IBIX-PRO3-BP BACKPACK

- **Airflow rates:** 2.9-116 PSI (0.2-8 bars)
- **Minimum air requirement:** 10 CFM (300 l/min)
- **Hose length:** 8' (2.5 m)
- **Nozzle size:** 0.12"- 0.2" (3-5 mm)
- **Capacity:** 0.8 Gal. (3L) 6.6 lbs.
- **Performance:** 35-55 sq. ft./h avg.
- **Empty weight:** 26 lbs. (12 kg)

ITEM	DESCRIPTION
IBIX-PRO3-BP	IBIX-Pro3-BP Back-Pack Micro Abrasion Cleaning System

C-VRK220 ROTARY SCREW COMPRESSOR

- **Airflow rate per minute:** 70 cfm (2100 l/min)
- **Gas tank capacity:** 5.5 gallons
- **Engine:** Honda - 25 HP
- **Dimensions:** 41" L x 31" W x 40" H
- **Weight:** 500 lbs (226.8 kg) (empty tank)

- Built-in cooling system with a patented Hydro-SEP centrifugal moisture separator
- Portable with a fold-away handle
- START-WORK device for easy start even at low temperatures
- Pull-open protective casing

ITEM	DESCRIPTION
IBIX-C-VRK220	IBIX Rotary Screw Compressor

IBIX-IB-3-17 3 PHASE ELECTRIC COMPRESSOR

- **Airflow rate per minute:** 17.6 cfm (500 l/min)
- **Air pressure:** 116 PSI - (8 bars)
- **Output power:** 4.8 HP/ 3.6 Kw
- **Dimensions:** 29" L x 24.5" W x 28" H
- **Weight:** 130 lbs (59 kg) (air trolly)
- **Tank capacity:** 100 -150 L / 26.4 - 40 Gal.
- **Power:** 230V/3/30

- MEC 100 - 2 pole electric motor
- Direct drive system
- ADAM 60 ccw air end model
- < 70 dB(A) Sound pressure level

ITEM	DESCRIPTION
IBIX-IB-3-17	IBIX 3 Phase Electric Compressor

WANT TO RENT? OR SEE A DEMO? *Call Us!*

ROTATIONAL GUN WITH VORTEX TECHNOLOGY

The patented HELIX® Gun uses a gentle, helical rotary movement considerably reducing the volume of air and media required to cover the same surface area as traditional blast equipment – Maximizing effectiveness while minimizing damage to delicate surfaces

The use of special wear resistant Tungsten steel produces a nozzle that stands out for it's durability and longevity, even when using extremely hard abrasives.

Compared to traditional nozzles, the new generation HELIX® maintains the uniform action of the spray and allows the operator to work from a greater distance, minimizing evasiveness to the surface.

Ideal for use with IBIX Micro Abrasion Cleaning Systems

ITEM	DESCRIPTION
IBIX-PRO9-HELIX	IBIX I-9 Helix Gun w/1.18" Extension Hose for Pro9 Unit
IBIX-PRO25-HELIX	IBIX I-25 Helix Gun w/1.18" Extension Hose for Pro25 Unit

MOISTURE SEPARATOR

For use in high Humidity Environments. Can be used with any IBIX-compatible compressor.

ITEM	DESCRIPTION
IBIX-I-MS-6350	Moisture Separator

VACUUM SHROUD DUST REDUCTION ATTACHMENT

ITEM	DESCRIPTION
IBIX-PRO25-VACUUM SHROUD	Vacuum Shroud Dust Reduction Attachment

EXTENSION LANCES & ADDITIONAL NOZZLE KITS

ITEM	DESCRIPTION
IBIX-PRO9-LANCE	Extension Lance for IBIX-Pro9, with 20' Hose
IBIX-PRO25-LANCE	Extension Lance for IBIX-Pro25, with 30' Hose
IBIX-I40-LANCE	Extension Lance for IBIX-Pro40, with 30' Hose
IBIX-PRO9-NK	Nozzle Kit for IBIX-Pro9, Includes 4 Nozzles with Holder
IBIX-PRO25-NK	Nozzle Kit for IBIX-Pro25, Includes 4 Nozzles with Holder
IBIX-I40-NK	Nozzle Kit for IBIX-Pro40, Includes 4 Nozzles with Holder

ABRASIVES & APPLICATION GUIDE

Please use this media chart to assist in choosing the best abrasive media for your restoration and surface preparation needs on wood, concrete, plastic, iron and more!

This guide also outlines the best practices for using our surface preparation equipment: such as PSI, coverage per foot and average consumption.

IBIX NORTH AMERICA Surface Technologies

When using your IBIX System for your surface preparation project, we recommend starting with the lowest pressure setting available. Test patching your surface preparation project is highly recommended to ensure the correct abrasive media has been selected for your surface preparation project.

CRUSHED GLASS



This abrasive media, made from 100% recycled glass, is suitable for both wet and dry blasting and can be used on a wide variety of surfaces.

ITEM	DESCRIPTION
IBIX-I-CCG4070	Crushed Glass 40-70 MESH
IBIX-I-CCG70100	Crushed Glass 70-100 MESH

Mesh	Plant and Building Maintenance Applications	Surfaces	Hardness, Mohs	Shape	Hazardous	Benefits
40/70	Restoration, gum removal, mill scale removal, cleaning	Slate, polished or raw marble, stone, copper, brass, hardwood, painted or rusted iron, brick, granite, chrome, concrete, pipelines, railcars	Medium, 5-6	Angular	No	• Wet & dry blasting • Whiter, cleaner finish
70/100	Paint removal, graffiti removal, rust removal	Aluminum, satin glass, plastics, masonry, softwood, aged wood, chrome, concrete, pipelines, railcars				

Surface	Mesh Size	Pressure Setting *Bars (PSI)*	Performance ft.²/hr.			
			Pro3/Pro 9	***Pro-25***	***Pro-40***	***HiPro 60***
Slate	40/70	4-6 (60-90)	20-45	80-105	160-186	320-345
Polished Marble	40/70	5-6 (70-90)	30-55	100-125	200-225	400-425
Raw Marble	40/70	6-7 (90-100)	55-80	150-175	300-325	600-625
Stone, Hard Stones	40/70	7-8 (100-120)	85-105	120-145	240-265	480-500
Copper	40/70	2-6 (30-90)	15-30	50-75	100-125	200-225
Brass	40/70	6 (90)	30-55	120-145	240-265	480-500
Hardwood (walnut, cherry)	40/70	7-8 (100-120)	40-65	150-175	300-325	600-625
Painted/Rusted Iron	40/70	7-8 (100-120)	20-55	100-125	200-225	400-425
Mill Scale Removal	40/70	7-8 (100-120)	15-30	35-60	70-95	140-165
Exposed Brick	40/70	4-5 (60-70)	50-75	200-225	400-425	800-825
Rough Granite	40/70	8 (120)	5-10	15-30	30-45	60-80
Removal of non weeds (chrome)	40/70	5 (70)	15-30	30-55	60-85	120-145
Removal of Vegetation and Barnacles	40/70	7-8 (100-120)	40-65	125-150	250-275	300-325
Aluminum/Satin Glass	70/100	2 max. (30)	5-10	15-30	30-50	60-85
Erasing Graffiti on Masonry & Plastic	70/100	4 (60)	30-45	90-115	180-205	360-385
Softwood	70/100	4 (60)	40-65	150-175	300-325	600-625
Aged Wood	70/100	6-8 (90-120)	40-65	65-85	130-155	260-285
Removal of weeds (chrome)	70/100	7-8 (100-120)	20-30	75-100	150-175	300-325

SODIUM BICARBONATE

Sodium bicarbonate, also known as baking soda, is completely non-toxic and non-hazardous.

ITEM	DESCRIPTION
IBIX-ASXL	Baking Soda Maintenance Formula XL

Mesh	Remediation Applications	Surfaces	Hardness, Mohs	Shape	Hazardous	Benefits
ASXL *(270 microns)*	Removal of graffiti, removing barnacles, cleaning, polishing, mold and soot removal, cleaning in the food processing industry	Glass, slate, mold cleaning, polished marble, copper, teak, chrome, boat hulls, pools, cars, tile	Soft, 2-3	Angular	No, but needs to be flushed	• Leaves no residue • Eco-friendly

Surface	Mesh Size	Pressure Setting *Bars (PSI)*	Performance ft.²/hr.			
			Pro3/Pro 9	***Pro-25***	***Pro-40***	***HiPro 60***
Glass	270 microns	3 max. (44)	15-30	50-75	100-125	200-225
Slate	270 microns	4-6 (60-90)	20-45	50-75	100-125	200-225
Mold Cleaning	270 microns	3-4 (45-60)	55-80	150-175	300-325	600-625
Polished Marble	270 microns	5-6 (70-90)	30-55	100-125	200-225	400-425
Copper	270 microns	4-7 (60-100)	15-30	50-75	100-125	200-225
Teak	270 microns	5-7 (70-100)	20-45	100-125	200-225	400-425
Chrome Parts	270 microns	5 (70)	15-30	60-85	120-145	240-265
Boat Hulls	270 microns	3 max. (45)	15-30	60-85	120-145	240-265
Tubular Elements (dinghies, pontoons)	270 microns	4 (60)	10-20	30-45	60-85	120-145

GARNET

GMA Garnet is a cost-effective, high performance, environmentally friendly abrasive.

ITEM	DESCRIPTION
IBIX-GA120	Garnet Abrasion Granules, 120 MESH
IBIX-GA200	Garnet Abrasion Granules, 200 MESH
IBIX-GA3060	Garnet Abrasion Granules, 30-60 MESH
IBIX-GA80	Garnet Abrasion Granules, 80 MESH

Mesh	Plant, Building, and Marine Maintenance Applications	Surfaces	Hardness, Mohs	Shape	Hazardous	Benefits
30/60	Rust and paint removal	Painted or rusted iron	Hard, 7-8	Angular	No	• Recyclable • Leaves no residue • Low dust factor • High working speed • Chloride free • Eco-friendly
80	Paint and coating removal, mill scale removal	Hardwood (walnut, cherry), exposed brick, steel				
120	Restoration and maintenance of buildings	Softwood, hard stones, exposed brick, aged wood				
200	Graffiti removal, mold and soot removal, restoration and maintenance of antiques and furniture	Plastic, masonry, softwood, aged wood, satin glass				

Surface	Mesh Size	Pressure Setting *Bars (PSI)*	Performance ft.²/hr.			
			Pro3/Pro 9	*Pro-25*	*Pro-40*	*HiPro 60*
Rough Granite	20-40	8 (120)	5-10	15-30	30-45	60-85
Painted/Rusted Iron	30/60-80	7-8 (100-120)	20-55	100-125	200-225	400-425
Vegetation and Barnacles	80	7-8 (100-120)	40-65	125-150	250-275	500-525
Hardwood (walnut, cherry)	80	7-8 (100-120)	40-65	150-175	300-325	600-625
Mill Scale Removal	80	7-8 (100-120)	10-30	35-60	70-95	140-165
Exposed Brick	80-120	4-5 (60-70)	50-75	105-225	210-235	420-445
Satin Glass	80-200	2 max. (30)	5-10	15-30	30-45	60-85
Hard Stones	120	7-8 (100-120)	85-105	200-225	400-425	800-825
Softwood	120-200	4 (60)	15-30	85-105	170-195	340-365
Aged Wood	120-200	6-8 (90-120)	40-65	60-85	120-145	240-265
Plastic	200	4 (60)	30-45	90-115	180-205	360-385
Removal of weeds (chrome)	200	7-8 (100-120)	20-30	75-100	150-175	300-325
Graffiti on Masonry & Plastic	200-350	4 (60)	20-45	85-105	170-195	340-365

CALCIUM CARBONATE

Special formulation designed for restoration of soft stone and marble surfaces

ITEM	DESCRIPTION
IBIX-CCZ5	Calcium Carbonate is a Crushed Marble, Clean, Pure - 0.300mm
IBIX-CCZ6	Calcium Carbonate is a Crushed Marble, Clean, Pure - 0.300mm

Mesh	Historic Preservation Applications	Surfaces	Hardness, Mohs	Shape	Hazardous	Benefits
Z-5	Restoration, chewing gum removal, lime scale removal, preservation of buildings, monuments, and fountains	Stone, marble	Soft, 2-3	Angular	No	• Good on delicate surfaces • Safe around foliage • Eco-friendly
Z-6	Restoration, cleaning, lime scale removal, preservation of buildings, monuments, and fountains	Raw marble, copper, travertine, brass, limestone				

Surface	Mesh Size	Pressure Setting *Bars (PSI)*	Performance ft.²/hr.			
			Pro3/Pro 9	*Pro-25*	*Pro-40*	*HiPro 60*
Removal of chewing gum from stone	Z5 (+ water)	7-8 (100-120)	75-100	120-145	240-265	480-500
Raw/polished marble	Z6 (+ water)	6-7 (90-100)	55-80	150-175	300-325	600-625
Cleaning copper	Z6 (+ water)	2-6 (30-90)	15-30	50-75	100-125	200-225
Travertine	Z6 (+ water)	6 (90)	65-90	170-195	340-365	680-700
Cleaning brass	Z6 (+ water)	6 (90)	30-55	120-145	240-265	480-500

WALNUT SHELLS

Walnut shells are durable and can be re-used in many applications.

ITEM	DESCRIPTION
IBIX-WA-3560	Crushed Walnut Shells 35-60 MESH

Mesh	Delicate Applications	Surfaces	Hardness, Mohs	Shape	Hazardous	Benefits
35/60	General cleaning and restoration	Aluminum, sheet metal, antiques, furniture, engine parts	Soft, 3-4	Angular	No	• Recyclable • Doesn't scratch underlying material • No warping of surfaces • Eco-friendly

Surface	Mesh Size	Pressure Setting *Bars (PSI)*	Performance ft.²/hr.			
			Pro3/Pro 9	*Pro-25*	*Pro-40*	*HiPro 60*
Engine Parts	35/60	2-3	15-30	30-55	60-85	120-145
Wood, Teak, Furniture, Antiques	35/60	2-3	15-30	30-55	60-85	120-145

GRINDERS & POLISHERS

Diamatic machines have an excellent reputation and history for quality. Engineered and developed for improved efficiency, high productivity and achieving consistent results, our systems can be used with many tooling options for various applications in a wide range of marketsfrom surface preparation to high gloss polishing.

BMG-780-ULTRAPRO RS

- **Grinding Width:** 30"
- **Tool Diameter:** 9"
- **Motor Power:** 23HP Electric Motor
- **Power:** 230/480v, 3o, 60HZ
- **Amperage:** 32/63 Amp
- **Head Pressure:** 700-800 lbs.
- **Dust Hose Connection:** 3"
- **Dimensions:** 83" L x 31" W x 49" H
- **Weight:** 1245 lbs.

ITEM	DESCRIPTION
DIA-BMG-780-230-RS-V2	BMG-780RS ULTRAPRO Remote Control Grinder, 230V
DIA-BMG-780-460-RS-V2	BMG-780RS ULTRAPRO Remote Control Grinder, 460V

BMG-780-PRO

- **Grinding Width:** 30"
- **Tool Diameter:** 9"
- **Tooling Speed:** 400-1200 RPM
- **Head Pressure:** 700-750 lb.
- **Motor:** Electric
- **Amperage:** 32/63 A
- **Voltage:** 230/480V, 3ø, 60 Hz
- **Dust Hose Connection:** 3"
- **Dimensions:** 83" L x 31" W x 49" H
- **Weight:** 961 lbs.

ITEM	DESCRIPTION
DIA-BMG-780-230/3/60-V2	BMG-780 PRO Grinder/Polisher 30", 23HP Electric Motor, 230V
DIA-BMG-780-460/3/60-V2	BMG-780 PRO Grinder/Polisher 30", 23HP Electric Motor, 460V

BMG-735-PRO

- **Grinding Width:** 29"
- **Tool Diameter:** 9"
- **Motor:** 17HP Electric Motor
- **Amperage:** 32/63 A
- **Power:** 230/480V, 3ø, 60 Hz
- **Dust Hose Connection:** 3"
- **Dimensions:** 81" L x 29" W x 46"H
- **Weight:** 740 lbs.

ITEM	DESCRIPTION
DIA-BMG-735-230/3/60-V2	BMG-735 PRO Grinder/Polisher 29", 17HP Electric Motor, 230V
DIA-BMG-735-460/3/60-V2	BMG-735 PRO Grinder/Polisher 29", 17HP Electric Motor, 460V

BMG-555-PRO

- **Grinding Width:** 22"
- **Tool Diameter:** 7"
- **Tooling Speed:** 350-1100 RPM
- **Motor Speed:** 580-1750 RPM
- **Motor:** 7.37hp Electric Motor
- **Amperage:** 32/63 A
- **Voltage:** 230V, 1ø, 60 Hz
- **Dust Hose Connection:** 3"
- **Dimensions:** 81" L x 22" W x 46"H
- **Weight:** 600 lbs.

ITEM	DESCRIPTION
DIA-BMG-555-155KW-230V-R	BMG-555 PRO Grinder/Polisher 22", single phase 230V planetary grinder

BMG-735-PRO PROPANE

- **Grinding Width:** 28"
- **Tool Diameter:** 9"
- **Tooling Speed:** 350-1100 RPM
- **Motor:** 993 cc Propane (LP)
- **Dust Hose Connection:** 3"
- **Battery Power:** 12V
- **Drive System:** Triple Head Planetary System
- **Dimensions:** 60" L x 27" W x 52" H
- **Weight:** 890 lbs.

ITEM	DESCRIPTION
DIA-BMG-735-P	BMG-735 PRO Grinder/Polisher 29", Propane Powered

DIA-BMG-555P

- 656cc Briggs and Stratton Commercial Series Engine
- Most powerful machine in its class
- 3 year unlimited hour engine warranty
- True gaseous heads designed to run LP
- HD centrifugal clutch made in USA
- Quick change primary belt system
- HD vernier throttle gives infinite control of engine rpm
- AGM 12V battery
- LED lights fore and aft
- 6 gallon water tank

ITEM	DESCRIPTION
DIA-BMG-555P	BMG-555P Grinder Polisher, Propane Powered

BMG-300E

- **Motor:** 3 hp/5hp Variable Speed
- **Power:** Single-phase 230V or 3-phase 230V/460V
- **Weight:** 217 lbs.
- 12" Grinding pass
- Dust free operation
- Can be used wet or dry

ITEM	DESCRIPTION
DIA-BMG-300E-230/1-R-230V	BMG-300E Electric Single Phase Grinder, 230V
DIA-BMG-300E-230/3-R-230V	BMG-300E Electric 3-Phase Grinder, 230V
DIA-BMG-300E-460/3-R-230V	BMG-300E Electric 3-Phase Grinder, 460V

MPS-1027E



- **Motor:** 10 HP Electric
- **Power:** 230/460V
- **Weight:** 415 lbs.
- **Power Cord:** 50"
- **Amperage:** 28/14
- **Tools RPM:** 200-1700 RMP
- Available dust shroud

ITEM	DESCRIPTION
DIA-MPS-1027E-230	MPS 1027E Burnisher/Micro Polisher, 230V
DIA-MPS-1027E-460	MPS 1027E Burnisher/Micro Polisher, 460V
DIA-MP10048	Dust Shroud

MPS-1827-LP

- **Motor:** 18 HP Propane
- **Power:** 12V System
- **Weight:** 350 lbs.
- **Clutch:** HD Centrifugal
- **Tools RPM:** 1600 RPM
- **Tools Diameter:** 27"
- Available dust shroud

ITEM	DESCRIPTION
DIA-MPS-1827-LP	MPS 1827LP Burnisher/MicroPolisher, Propane
DIA-MP10048	Dust Shroud

WANT TO RENT? OR SEE A DEMO? *Call Us!*

DIA-BMC-335EHY SHAVER/PLANER

- **Cleaning Path:** 13.5"
- **Production Capacity:** 520 sq. ft./hr.
- **Tooling Diameter:** 8.5"
- **Speed:** 3600 rpm -Drum
- **Motor:** 15 hp
- **Amperage:** 32/63 A
- **Voltage:** 460V, 3ø, 50/60 Hz
- **Cord:** 50'
- **Hose Connection:** 3"
- **Weight:** 895 Lbs - No drum
- **Dimensions:** 59" L x 24" W x 37.5" H

ITEM	DESCRIPTION
DIA-BMC-335EHY	BMC-335EHY Variable Speed Planer/Shaver

STI PREPMASTER JR

- **Motor:** 7.5 HP, Variable Speed Drive | 5.6kW
- **Power Source:** 220-240V Single Phase, 40A
- **Weight (including pocket weights):** 455 lbs.
- **Dimensions:** 50" L x 23" W x 48" H
- **Working Width:** 23"
- **Tools Needed:** 6
- **Tools RPM:** 250-500 RPM Variable
- **Tools Attachment Style:** EG Proprietary Attachment System
- **Vacuum Hose Connection:** 2"
- **Water Tank Capacity:** 8 Gal.

ITEM	DESCRIPTION
STI-PM-JR	PrepMaster Jr. Floor Grinder/Polisher

TRUBRAND 17" FLOOR MACHINE

- **Pad Size:** 17"
- **Power Source:** 115V 60Hz
- **Motor/HP:** 180 Frame, 1½ HP TEFC AC Dual Capacitor Motor
- **Amp Draw:** 6.9
- **Gear Box:** 3-Idler 11:1
- **Tool RPM:** 165
- **Cord:** 2-piece 50' 12-3 SJTOW

ITEM	DESCRIPTION
TRU-17DS	TruBrand 17" Floor Machine
A98385	EZ-Scrape Carbide Plate 15"
1680-2252	Diamond Holder Plate 17"

HAWK PRO FLOOR MACHINE

- **Pad Size:** 17"
- **Power Source:** 115-230V, 60 Hz
- **Motor/HP:** 1.5 HP, 180 frame, TEFC dual capacitor AC motor
- **Gear Box:** Triple-planetary XHD 11:1 helical-cut industrial gears
- **Cord:** 50 ft. Power Cord

ITEM	DESCRIPTION
HAWK PRO 17	Hawk Pro 17" Floor Restoration Machine

GRINDERS & POLISHERS

WerkMaster equipment, with the patented Octi-Disc™ technology, is 7 Machines in 1 – Grinds, strips, scarifies, polishes, buffs, burnishes, and edges to within 1/8" (3 mm) of the wall!

WERKMASTER™
Ultra Floor Systems & Solutions

COLOSSOS XT

- **Footprint:** 24"
- **Disc Size:** 8"
- **Weight:** 820 lbs
- **Disc Speed Range:** 450-1950 RPM
- **Power:** 20 HP
- **Voltage:** 208/460 VAC
- **Frequency:** 50/60 Hz
- **Electrical:** 3 Phase
- **Breaker Size:** 50/30 Amp
- **Vacuum Req:** 500+ CFM
- **Min. Generator:** 25.5+ kW

ITEM	DESCRIPTION
WM-COLOSSOS XT	Colossos XT surface prep machine. Electric powered grinder/polisher

COLOSSOS XT PROPANE

- **Footprint:** 24"
- **Disc Size:** 8"
- **Weight:** 765 lbs
- **Disc Speed Range:** 300-900 RPM
- **Power:** 31 HP
- **Voltage:** 12 VDC
- **Frequency:** n/a
- **Electrical:** n/a
- **Breaker Size:** n/a
- **Vacuum Req:** 500+ CFM
- **Min. Generator:** n/a

ITEM	DESCRIPTION
WM-COLOSSOS XT PROPANE	Colossos XT surface prep machine. Propane powered grinder/polisher

TITAN XT

- **Footprint:** 20"
- **Disc Size:** 6.75"
- **Weight:** 580 lbs
- **Disc Speed Range:** 450-2100 RPM
- **Power:** 10 HP
- **Voltage:** 208/460 VAC
- **Frequency:** 50/60 Hz
- **Electrical:** 1,3 Dual / 3 Phase
- **Breaker Size:** 50/30 Amp
- **Vacuum Req:** 300+ CFM
- **Min. Generator:** 11.5+ kW

ITEM	DESCRIPTION
WM-TITAN XT	Titan XT surface prep machine. Electric powered grinder/polisher

TITAN XT PROPANE

- **Footprint:** 20"
- **Disc Size:** 6.75"
- **Weight:** 580 lbs
- **Disc Speed Range:** 450-2100 RPM
- **Power:** 21 HP
- **Voltage:** 12 VDC
- **Frequency:** n/a
- **Electrical:** n/a
- **Breaker Size:** n/a
- **Vacuum Req:** 300+ CFM
- **Min. Generator:** n/a

ITEM	DESCRIPTION
WM-TITAN XT PROPANE	Titan XT surface prep machine. Propane powered grinder/polisher

WANT TO RENT? OR SEE A DEMO? *Call Us!*

RAPTOR XTI

- **Footprint:** 17"
- **Disc Size:** 5"
- **Weight:** 260 lbs
- **Disc Speed Range:** 450-2100 RPM
- **Power:** 5 HP
- **Voltage:** 208/230 VAC (110+)
- **Frequency:** 50/60 Hz
- **Electrical:** 1,3 Dual Phase
- **Breaker Size:** 30 Amp
- **Vacuum Req:** 200+ CFM
- **Min. Generator:** 6.0+ kW

ITEM	DESCRIPTION
WM-RAPTOR XTI	Raptor XTi surface prep machine.

QUICK 220 CONVERTER

- Allows you to easily power 220V equipment from ordinary household 115V or 120V outlets. To use the converter, plug it into two common household outlets, connect 220V equipment and begin to use. Access to 220V power is made easy, fast and safe without the heat and weight of a step-up transformer.

ITEM	DESCRIPTION
WM-540-0333-00	Quick 220 Voltage Converter

THE EDGE

- **Footprint:** 14"
- **Disc Size:** 5"
- **Weight:** 206 lbs
- **Power:** 1.5/3 HP
- **Voltage:** 110/220 V Single Phase
- **Frequency:** 50/60 Hz
- **Breaker Size:** 15/20 Amp
- **Vacuum Req:** 200 CFM
- **Min. Generator:** 2.0/4.5 k

The EDGE by WerkMaster is a lightweight and maneuverable concrete floor edge grinder and polisher that gets within 1/8" (3mm) to the wall and disassembles into 3 parts for easy lifting and transport.

ITEM	DESCRIPTION
WM-EDGE-110	EDGE surface prep machine 110V
WM-EDGE-220	EDGE surface prep machine 220V

SCARAB

WERKMASTER™
Ultra Floor Systems & Solutions

The WerkMaster Scarab, with Octi-Disc™ Technology, is the ideal machine for floors, walls, stairs, risers, ledges and counter tops The convenient handle attachment has a smooth pivot point to allow for professional results when edging and polishing.

- **Footprint:** 7" x 10"
- **Disc Size:** 3"
- **Weight:** 20 lbs w/o drive unit
- **Disc Speed Range:** 0-2800 RPM

- Versatile, maneuverable and very affordable
- Edges right to the wall, stair or countertop
- 90°head rotation makes it great in small spaces
- Works with Milwaukee, Metabo and Alpha variable speed polishers
- Dust control system protects against silica, wood and other dusts

ITEM	DESCRIPTION
WM-SCARAB	Scarab variable speed grinder, polisher and sander

MILWUAKEE 7" GRINDER/POLISHER

- **Length:** 16-1/2"
- **Weight:** 8.8 lbs
- **Voltag:** 120V AC
- **Cord Type:** 10' QUIK-LOK®
- **No Load RPM:** 0-2,800
- **Amps:** 11
- **Trigger Lock:** On
- **Spindle:** 5/8"-11
- **Construction Type:** Double Insulated
- **Dial Speed Control:** Yes
- **Spindle Lock:** Yes
- **Pad Size:** 7 Inch

ITEM	DESCRIPTION
WM-009-0041-00	Milwaukee 7" Grinder/Polisher

BLASTRAC 7" GRINDER/POLISHER

- **Grinding Width:** 7"
- **Production Capacity:** 150/200 sq.ft/hr
- **Motor:** 6600 rpm
- **Voltage:** 120V, 1ø, 60 Hz
- **Amperage:** 15A
- **Power Cord:** 6'
- **Dust Hose Connection:** 2"
- **Length:** 19"
- **Weight:** 9 lbs
- Available Shroud
- Available Loop Handle

shown with available shroud

ITEM	DESCRIPTION
DIA-05-BL233	Blastrac 7" Grinder/Polisher
DIA-65-65713	Shrouud Attachment
DIA-05-73900	Loop Handle Attachment

SCRAPERS

We offer a variety of industry leading all-day ride on and walk behind scrapers that exceed expectation and set unmatchable standards for removal rates, durability and safety.

RIDE-ON BATTERY POWERED SCRAPER

- **Motor:** 4 HP
- **Width:** 24.5"
- **Height:** 47.5"
- **Length:** 54"
- **Empty Weight:** 2021 lb
- **Fully Weighted:** 2196 lb
- **Removable Weights:** 175 lb
- **Speed:** up to 200 ft/min

ITEM	DESCRIPTION
NF-5700	5700 All Day Battery Ride-On Scraper

RIDE-ON PROPANE POWERED SCRAPER

- **Motor:** 25 HP
- **Width:** 29.5"
- **Height:** 53.75"
- **Length:** 59"
- **Empty Weight:** 2400 lb
- **Fully Weighted:** 2950 lb
- **Removable Weights:** 360 lb
- **Speed:** up to 200 ft/min

ITEM	DESCRIPTION
NF-8000	8000 Propane Powered Ride-On Scraper

RIDE-ON BATTERY POWERED SCRAPER

- **Motor:** 4,0kW – 48V DC
- **Width:** 27"
- **Height:** 52"
- **Length:** 60"
- **Empty Weight:** 2116 lbs.
- **Fully Weighted:** 2380 lbs.
- **Speed:** up to 90ft/min

ITEM	DESCRIPTION
DIA-BMS-220ADB-EU-R	Diamatic All Day Battery Ride-On Scraper

SELF PROPELLED WALK-BEHIND SCRAPER

- **Motor:** 1,5kW / 230V – 50-60Hz
  16A - Single phase
- **Width:** 21"
- **Height:** 41"
- **Length:** 34"
- **Empty Weight:** 210 lbs.
- **Fully Weighted:** 375 lbs.
- **Speed:** 10-70 ft/min

ITEM	DESCRIPTION
DIA-BMS-110-ER-R	BMS-110 Self Propelled Walk Behind Scraper

WALK-BEHIND SCRAPER

- **Width:** 15"
- **Height:** 42.5" w/ handle - 24" w/o handle
- **Length:** 24"
- **Weight (machine):** 82 lb
- **Weight (w/ weights):** 126 lb
- **Speed:** Manual
- **RPM:** 1725
- **Volts:** 115/230
- **HP:** 1
- **Amps-Full Load:** <10

ITEM	DESCRIPTION
NF-550	550 Adjustable Handle Walk Behind Scraper

HYDRAULIC WALK-BEHIND SCRAPER

- **Width:** 16"
- **Height:** 47"
- **Length:** 33"
- **Weight (machine):** 365 lb
- **Weight (w/ weights):** 490 lb
- **Speed:** up to 30 ft/min
- **RPM:** 1725
- **Volts:** 115
- **HP:** 1.5
- **Amps-Full Load:** 13

ITEM	DESCRIPTION
NF-6280HD-COM	6280 Commander, Hydraulic Walk Behind Scraper

SCRAPER TOOLING

A

E

B

D

C

	ITEM	DESCRIPTION
A	NF-7075-8	Tapered Cutting Head Shank Blades - 8" x 2" x .300"
A	NF-7075-11	Tapered Cutting Head Shank Blades - 11" x 2" x .300"
B	NF-7079-2	Angle Shank Blade with Carbide Tip - 6" x 2" x .500"
C	NF-7072-2	Straight Shank Blade with Carbide Tip - 4" x 2" x .500"

	ITEM	DESCRIPTION
D	NF-6292	Extra Heavy Duty Blades - 3" x 12" x .187"
D	NF-6290	Extra Heavy Duty Blades - 3" x 6" x .187"
E	NF-6249	Self Scoring Blades - 4" x 12" x .094" - 90°

SHOT BLASTING

IMPACTS SHOT BLASTER

The Impacts ssot blaster is a one-step method for stripping, cleaning and profiling surfaces in preparation for coatings and overlays. Not only does it produce a roughened texture that improves adhesion it also leaves surfaces dry and immediately ready for recoating or resurfacing.

- **Blasting Power:** 5.5 HP (4.0 kW)
- **Travel Speed:** Up to 59 ft/min
- **Power Supply:** 220V/1 Phase 60Hz, 30A (400V/1 Phase 50Hz, 16A)
- **Working Width:** 8.25 in. (210 mm)
- **Blasting Capacity:** Up to 861 SF/hr (80m2/hr)
- **Dimensions:** 43" L x 11.8 W x 39" H
- **Weight:** 255 lbs.

Specially developed to achieve a high blasting performance on small and medium-sized areas.

ITEM	DESCRIPTION
STI-S210E-40R	Impacts S210E-40R Shot Blaster

SHOT BLAST MEDIA

ITEM	DESCRIPTION	ITEM	DESCRIPTION	ITEM	DESCRIPTION
76230	Steel Shot S230 - 50 lbs.	76280	Steel Shot S280 - 50 lbs.	76330	Steel Shot S330 - 50 lbs.

HAND MAGNET

- Designed for loading and unloading media into shot blast machines.
- Removes shot from joints, cracks and corners
- Hand-held

ITEM	DESCRIPTION
NF-6555	Hand Magnet

MAGNETIC SWEEP

- With a release handle. It has adjustable height-settings of 2.5, 5 and 7.5 cms. Good quality wheels make it easy to push across surfaces. 30 cm magnet, 33-cms width.

ITEM	DESCRIPTION
NF-6551	Magnetic Sweep for Shot Blast Debris

SPECIALTY VACUUMS

Ruwac's MicroClean filtration returns only clean air to the workplace, creating a true dust-free environment! Their unique oval design offers best cyclonics and the compression cast composite housing makes them one of the most durable and dependable portable vacuum cleaners on the market.

WNS1000

- **Motor:** (1) 1200 Watt Motor / 3.2 Hp
- **Voltage:** 110 Volts
- **Amps:** 15 Amps
- **Vacuum Rating:** 7.9 Hg"
- **Volume Rating:** 112 CFM
- **Primary Filter Area:** 13 sq. ft.
- **Collection Capacity:** 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 2"
- **Approx. Weight:** 85 lbs.

ITEM	DESCRIPTION
RUW-WNS1000	Portable Industrial Vacuum

WNS2220

- **Motor:** (2) 1200 Watt Motor / 3.2 Hp
- **Voltage:** 110 Volts
- **Amps:** 19 Amps
- **Vacuum Rating:** 7.2 Hg"
- **Volume Rating:** 200 CFM
- **Primary Filter Area:** 13 sq. ft.
- **Collection Capacity:** 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 2"
- **Approx. Weight:** 99 lbs.

ITEM	DESCRIPTION
RUW-WNS1000	Portable Industrial Vacuum

WS2320

- **Motor:** (3) 1200 Watt Motor / 4 Hp
- **Voltage:** 110 or 220 Volts
- **Amps:** 19 Amps /15 Amps
- **Vacuum Rating:** 5.5 Hg" / 7.2 Hg"
- **Volume Rating:** 288 CFM /340 CFM
- **Primary Filter Area:** 28 sq. ft.
- **Collection Capacity:** 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 3"
- **Approx. Weight:** 145 lbs.

ITEM	DESCRIPTION
RUW-WS2320-110	Portable Industrial Vacuum 110 V
RUW-WS2320-220	Portable Industrial Vacuum 220V

WS2220

- **Motor:** (2) 1200 Watt Motor / 3.2 Hp
- **Voltage:** 110 Volts
- **Amps:** 19 Amps
- **Vacuum Rating:** 7.2 Hg"
- **Volume Rating:** 200 CFM
- **Primary Filter Area:** 13 sq. ft.
- **Collection Capacity:** 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 2"
- **Approx. Weight:** 115 lbs. / n/a

ITEM	DESCRIPTION
RUW-WS2220	Portable Industrial Vacuum
RUW-WS2220-DB	Direct Bagging Portable Industrial Vacuum
RUW-WS2220-DB-HEPA-2.0	Direct Bagging Portable Industrial Vacuum with HEPA Filtration

WS2320DB

- **Motor:** (3) 1200 Watt Motor / 4 Hp
- **Voltage:** 110 or 220 Volts
- **Amps:** 19 Amps /15 Amps
- **Vacuum Rating:** 5.5 Hg" / 7.2 Hg"
- **Volume Rating:** 288 CFM /340 CFM
- **Primary Filter Area:** 28 sq. ft.
- **Collection Capacity:** 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 3"
- **Approx. Weight:** 145 lbs./ n/a

ITEM	DESCRIPTION
RUW-WS2320DB-110	Direct Bagging Portable Industrial Vacuum 110 V
RUW-WS2320DB-220	Direct Bagging Portable Industrial Vacuum220V
RUW-WS2320DB-220-HEPA MAXX	Direct Bagging Portable Industrial Vacuum w/HEPA Maxx Filtration

WSP3000

- **Motor:** (1) 1200 Watt Motor / 1.6 Hp
- **Voltage:** 120 Volts
- **Amps:** 19 Amps
- **Vacuum Rating:** 7.2 Hg"
- **Volume Rating:** 112 CFM
- **Primary Filter Area:** n/a
- **Collection Capacity:** 12 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 2"

shown with optional sweeper attachment

ITEM	DESCRIPTION
RUW-WSP3000	Portable Industrial Wet Vacuum

HEC-DB PRE-SEPARATOR

- Available in 8", 12"or 14"diameters
- 95(+)% efficient with submicron particles
- Increases collection capacity and filter life
- Direct bagging system for dust-free collection that minimizes contact with potentially harmful materials
- External gravity drop system for continuous discharge
- For use with 100 – 525 CFM vacuums

ITEM	DESCRIPTION
RUW-HEC-DB-8	HEC-DB High Efficiency Pre-Separator System - 8"
RUW-HEC-DB-12	HEC-DB High Efficiency Pre-Separator System -12"
RUW-HEC-DB-14	HEC-DB High Efficiency Pre-Separator System -14"

HEC-XLT PRE-SEPARATOR

- Available in 8", 12"or 14"diameters
- 95(+)% efficient with submicron particles
- Lifting mechanism mechanically raises cyclone from drum
- Tipping drum for fast, easy emptying
- Equalizer kit allows plastic bags to be inserted into drum for hassle-free collection
- Forklift pockets for ultimate mobility
- For use with 100 – 525 CFM vacuums

ITEM	DESCRIPTION
RUW-HEC-XLT-8	HEC-XLT High Efficiency Pre-Separator System -8"
RUW-HEC-XLT-12	HEC-XLT High Efficiency Pre-Separator System -12"
RUW-HEC-XLT-14	HEC-XLT High Efficiency Pre-Separator System -14"

RUW-DYNAMIC DUO

- **Motor:** (2) 1200 Watt Motor / 3.2 Hp
- **Voltage:** 220 Volts
- **Amps:** 30 Amps
- **Filter Type:** HEPA
- **Duty Cycle:** Intermittent
- **Vacuum Rating:** 7.2 Hg"
- **Volume Rating:** 680 CFM
- **Primary Filter Area:** (2)28 sq. ft.
- **Collection Capacity:** (2) 9 Gal.
- **Power Cable:** 30 ft.
- **Hose Connection:** 2.75"

ITEM	DESCRIPTION
RUW-DYNAMIC DUO	220-S Dynamic Duo Industrial Vacuum System

RUW-DS2720-DIST

- **Motor:** 3-Phase TEFC Motor / 10 Hp
- **Voltage:** 208, 230 / 460 Volts
- **Amps:** 60 Amp Distribution Box
- **Filter Type:** HEPA
- **Duty Cycle:** Continuous
- **Vacuum Rating:** 506 CFM
- **Primary Filter Area:** 48 sq. ft.
- **Collection Capacity:** 24 Gallon
- **Power Cable:** 30 ft.
- **Hose Connection:** 4"
- **Approx. Weight:** 430lbs

ITEM	DESCRIPTION
RUW-DS2720-DIST	DS2720-DIST Continuous Duty Powerhouse Series Vacuum

Diamatic

Diamatic Dust Collectors reduce airborne dust and particulate to provide a cleaner work environment, make surface preparation atmospheres more pleasant, and improve safety. These vacuums are system matched for best performance and increased job productivity.

DIA-BDC-3140DBP/LPP

- **Water Lift:** 90"
- **Air Flow:** 350 CFM
- **Longo Pack Bag System**
- **Power:** 4.5Kw/230V/60Hz/32A -OR- 4.5Kw/460V/60Hz/16A
- **Filter Type:** HEPA
- **Power** Cord: 30 ft.
- **Dust Hose Connection:** 2", 2.75" and 3"
- **Dimensions:** 53" L x 27.5" W x 67" H
- **Weight:** Net 507 lbs
- 50 Amp Power pass through

ITEM	DESCRIPTION
DIA-BDC-3140DBP/LPP	BDC-3140 LPP dust collection system

DIA-BDC-1330DBP/LPP

- **Air Flow:** 286 CFM Max
- **Capacity:** 26.4 Gal./LongoPak 4.4 Gal.
- **Voltage:** 230V, 1ø, 60 Hz
- **Amperage:** 19.5 A
- **Filter Type:** HEPA
- **Power Cord:** 30'
- **Hose Connection:** 2" and 3"
- **Dimensions:** 39" L x 24" W x 70" H
- **Weight:** 306 Lbs

ITEM	DESCRIPTION
DIA-BDC-1330DBP/LPP	BDC-1330 BPLPP dust collection system

DIA-BDC-122

- **Air Flow:** 198 CFM Max
- **Longo Pack Bag System**
- **Voltage:** 120V, 60 Hz
- **Amperage:** 19.5 A
- **Filter Type:** HEPA
- **Power Cord:** 25'
- **Hose Connection:** 2"
- **Dimensions:** 24" L x 24" W x 51" H
- **Weight:** 110 Lbs

ITEM	DESCRIPTION
RUW-BDC-122	BDC-122 Dust Collector

DIA-BDC-1216R

- **Air Flow:** 184 CFM Max
- **Capacity:** 10.5 Gal.
- **Voltage:** 110V, 1ø, 60 Hz
- **Amperage:** 13 A
- **Power Cord:** 28'
- **Hose Connection:** 2"
- **Dimensions:** 25" L x 22.5" W x 40" H
- **Weight:** 88Lbs

ITEM	DESCRIPTION
DIA-BDC-1216R	BDC-1216R Dust Collector

ASK US! ABOUT ACCESSORY PACKAGES

From HEPA filtration to general cleaning accessory packages that include specialty brush, floor and crevice tools, We have the solution for all your needs. Contact us today for more information.

MAPECEM QUICKPATCH

- Natural gray to blend with existing concrete
- Ease of placement, with variable water ratios
- Moisture-controlling adhesives can be used over Mapecem Quickpatch in as little as 16 hours.

ITEM	DESCRIPTION
MAP- QUICKPATCH-25LBS	High-Performance Concrete Repair Mortar

TOPCEM PREMIX

- Fast-setting, interior/exterior, ready-to-use screed mortar
- Easily placed by screed and float for flat as well as sloped repairs
- A waterproofing membrane can be applied on top of Topcem Premix in as little as 3 days after placement.

ITEM	DESCRIPTION
MAP-TOPCEM PREMIX	Ready-to-Use, Accelerated- Cure Screed

CONCRETE RENEW FINE

- One-component, polymer-modified cementitious material for the resurfacing of existing concrete
- Allows a variety of finishing options including broom finishes and decorative trowel finishes.

ITEM	DESCRIPTION
MAP- CONCRETE RENEW FINE	High-Performance, Fine-Grade Concrete Resurfacer

PLANITOP X

- Easy to use, requiring only the addition of potable mixing water
- Fast-setting, to reduce downtime and expedite return to service
- Strong bond to existing properly prepared concrete

ITEM	DESCRIPTION
MAP-PLANITOP X-50LBS	One-Component, Fast-Setting, Vertical and Overhead Repair Mortar

PLANTIOP 15

- Fiber-reinforced to aid in providing greater tensile strength and control of cracking
- Higher resistance to abrasion
- Strong bond to existing concrete surfaces

ITEM	DESCRIPTION
MAP-PLANITOP 15	Form-and-Pour, One-Component Repair Mortar

PLANIPREP SC

- Mixes to a smooth, easily applied consistency
- Provides a suitable surface for applying floor-covering adhesives over
- Rapid-set: typically ready for floor-covering installation in 30 to 60 minutes

ITEM	DESCRIPTION
MAP-PLANIPREP SC	High-Performance, Fiber-Reinforced Skimcoating Compound

PLANIBOND EBA

- Easy-to-use, two-component formula with a 1-to-1 ratio of Part A and Part B
- Medium viscosity for easy placement by brush or roller
- Provides a gray color when mixed

ITEM	DESCRIPTION
MAP-PLANIBOND EBA-KIT	High-Modulus Epoxy Bonding Agent

PLANISEAL RAPID JOINT 15

- Non-staining on most concrete surfaces
- Shaves easily as early as 1 hour after placement
- Remains flexible at cold temperatures
- Resistant to petrochemicals

ITEM	DESCRIPTION
MAP-PLANISEAL RAPIDJOINT 15	Self-Leveling Polyurea Floor Joint Filler

PLANIBOND JF

- Comes in dual cartridge for easy use
- Self-leveling
- High-strength
- Moisture-tolerant
- Low-odor
- 100%-solids

ITEM	DESCRIPTION
MAP-PLANIBOND JF-CARTRIDGE	Semi-rigid epoxy joint filler

NOVAPLAN 2 PLUS

- For hh, smoothing and repairing interior floors
- Ready for tile in 24 hours
- For interior concrete and engineer approved floors.

ITEM	DESCRIPTION
MAP-NOVAPLAN 2 PLUS	Professional Self-Leveling Underlayment

ULTRAPLAN 1 PLUS

- For leveling, smoothing and repairing interior floors
- Ready for tile in 3 to 4 hours
- high strength and is abrasion resistant

ITEM	DESCRIPTION
MAP-ULTRAPLAN 1 PLUS	High-Performance, Quick-Setting, Self-Leveling Underlayment

ULTRATOP PC

- Polishable in as soon as 24 hours
- Suitable for both new (28-day cured) and existing concrete
- Will accept light vehicular traffic in commercial, light industrial and residential applications

ITEM	DESCRIPTION
MAP-ULTRATOP PC	High-Performance, Polishable Concrete Topping

PRIMER L

- Easy application and quick-drying
- Low odor and low VOCs
- Tinted green for easy coverage identification

ITEM	DESCRIPTION
MAP-PRIMER L-5 GAL	Advanced-Technology, Acrylic Latex Primer for Concrete

PRIMER T

- One-component, versatile primer for a wide variety of substrate conditions
- Low odor and VOC compliance for safe use in interior, occupied environments
- Single-coat application for faster turnaround and lower installation costs
- Easy handling and application

ITEM	DESCRIPTION
MAP-PRIMER T-2 GAL	All-Purpose Primer for Self-Leveling Underlayments

PRIMER WE

- Water-based, high-performance epoxy technology with superior bond over a wide variety of substrates
- Easy to mix with extended pot life
- Low odor and VOC compliance enhance use in interior, occupied environments.
- The mixed product is purple for easy coverage identification.

ITEM	DESCRIPTION
MAP-PRIMER WE-KIT	Water-Based Epoxy Primer

PLANISEAL MB

- Low viscosity penetrates into the substrate, consolidating and tightly bonding surfaces to substrates
- Single-coat applicability means faster turnaround and lower installation costs

ITEM	DESCRIPTION
MAP-PLANISEAL MB-PART A/B	Moisture Barrier and Consolidating Epoxy Primer

PLANICRETE AC

- Pre-packaged for easy use and control
- Optimizes bond to existing concrete substrates
- Improves resistance to abrasion and freeze/thaw cycles
- Non-reemulsifiable

ITEM	DESCRIPTION
MAP-PLANICRETE AC-5 GAL	Acrylic Latex Admixture for Mortar and Concrete

PLANICRETE UA

- Increases bond strength
- Improves flexural strength
- Improves workability by eliminating premature evaporation of mix water; ensures better curing and a stronger, more durable repair

ITEM	DESCRIPTION
MAP-PLANICRETE UA-5 GAL	Universal Latex Additive

PLANISEAL WR40

- Penetrates deep into the substrate
- Colorless and does not alter surface appearance or texture
- Breathable, allowing interior moisture to escape
- VOC-compliant with a water-based composition

ITEM	DESCRIPTION
MAP-PLANISEAL WR 40	Clear, Water-Based, 40%-Silane Penetrating Water Repellent

MAPEFINISH WET LOOK

- Superior abrasion and blush resistance
- Low-odor
- Non-yellowing when subjected to ultraviolet (UV) light

ITEM	DESCRIPTION
MAP-MAPEFINISH WET LOOK	Premium, High-Gloss, Water-Based Acrylic Sealer

MAPECRETE PROTECTOR FF

- Provides a long-lasting, protective shine on interior concrete flatwork
- Helps to prevent soiling and contaminants from penetrating into concrete
- Creates easy-to-clean slabs, making maintenance faster and more effective

ITEM	DESCRIPTION
MAP-MAPECRETE PROTECTOR FF	High-Gloss, Film-Forming Protective Coating for Concrete

MAPECRETE HARD LI

- Environmentally friendly with a VOC-free and odorless formula
- Densifies, dustproofs and seals concrete surfaces in one operation
- Improves old, worn concrete that is carbonated, soft and powdery

ITEM	DESCRIPTION
MAP-MAPECRETE HARD LI-5 GAL	Lithium Silicate Densifier and Sealer for Concrete

MAPECURE DR

- Temporary sacrificial coating
- Low-VOC, water-based formulation
- Easily applied by spray or roller
- Dissipates over several weeks to allow for subsequent applications of coverings, coatings and sealers

ITEM	DESCRIPTION
MAP-MAPECURE DR-5 GAL	Water-Based, Dissipating-Resin Curing Compound

MAPECRETE FILM

- Holds in surface moisture on concrete slabs, floors, and repairs
- Helps to prevent plastic shrinkage and potential cracking
- Water-based and compatible with fresh concrete
- Easy and economical to use

ITEM	DESCRIPTION
MAP-MAPECRETE FILM-5 GAL	Evaporation Retardant and Finishing Aid

ARDEX PC-T

- Self-drying
- Portland cement-based
- Interior use
- Pourable and pumpable
- Available in light gray, gray, and white

ITEM	DESCRIPTION
ADX-PCT GRAY	Self-Leveling Polished Concrete Topping, Gray, 50 lbs.
ADX-PCT LT GRAY	Self-Leveling Polished Concrete Topping, Light Gray, 50 lbs.
ADX-PCT WHITE	Self-Leveling Polished Concrete Topping, White, 50 lbs.

ARDEX SD-M

- Use over concrete, terrazzo and existing tile
- Provides a smooth, permanent, durable finish
- Easy to mix and apply
- Mixes with water only, no additives necessary
- Outstanding coverage with excellent bond
- Use for interior floors only

ITEM	DESCRIPTION
ADX-SDM GRAY	Designer Floor Finish Gray
ADX-SDM WHITE	Designer Floor Finish White

ARDEX PC-10

- Creates a durable hard surface
- Resists dusting and wear
- Creates a surface with higher reflectivity, longer life and lower maintenance costs.
- Interior use only

ITEM	DESCRIPTION
ADX-PC10	Lithium Hardener for PC-T Concrete Topping, 5 Gal.

ARDEX PC FINISH

- High and Low gloss
- For use on polished concrete surfaces
- Interior use only

ITEM	DESCRIPTION
ADX-PC FINISH HG	Lithium Polymer for Stain and Wear Protection High Gloss, 5 Gal.
ADX-PC FINISH LG	Lithium Polymer for Stain and Wear Protection lowGloss, 5 Gal.

ARDEX EP2000

- Can be used as crack filling material
- Can be used to provide secondary top-down waterproofing
- Solvent-free, low viscosity, 100% solids epoxy resin
- Use for interior and exterior substrates.

ITEM	DESCRIPTION
ADX-EP2000	Substrate Preparation Epoxy Primer, 10 lbs.

ARDEX ARDIFIX

- Two-part polyurethane
- Extremely low viscosity allows for deep penetration
- Repairs very fine cracks
- Ultra fast setting - starts setting in as little as 2 minutes
- Grind smooth in 45 minutes

ITEM	DESCRIPTION
ADX-ARDIFIX 21 OZ	Rigid Polyurethane Crack & Joint Repair, 21.2 oz
ADX-ARDIFIX 21 OZ	Rigid Polyurethane Crack & Joint Repair, 2 Gal.

ARDISEAL RAPID PLUS

- Two-part semi-rigid joint sealant
- Abrasion resistant
- Fast setting – open to full traffic in 90 minutes
- Self-leveling consistency
- Use on industrial floor applications with heavy traffic

ITEM	DESCRIPTION
ADX-ARDISEAL RAPID PLUS	Fast Setting Flexible Joint Filler Gray, 21.6 oz

ARDEX CG CONCRETE GUARD

- Easy to apply and quick drying
- Nonflammable and UV stable
- Durable and abrasion resistant
- Use on interior and exterior absorbent concrete and masonry surfaces

ITEM	DESCRIPTION
ADX-CG CONCRETE GUARD GRAY	High-performance, Acrylic Concrete Sealer, Gray 1 gal.
ADX-CG CONCRETE GUARD CLEAR	High-performance, Acrylic Concrete Sealer, Clear 1 gal.

SELF LEVELING TOOL KI

- The ARDEX Tool Kit contains all of the standard mixing and installation equipment needed for ARDEX Self-Leveling Cements.

ITEM	DESCRIPTION
ADX-TOOL KIT	Tool Kit for Installation of ARDEX Self-Leveling Cements

ROVER ROLLING BARREL CART

- Improves jobsite efficiency during installation of ARDEX self-leveling underlayments and toppings
- It makes mixing and pouring easier on installers
- This new tool speeds installation time through increased capacity of up to 3 bags in a single mix
- Precise and controlled pour

ITEM	DESCRIPTION
ADX-ROVER	Rolling Barrel Cart

ULTRAguard™ SEALER AND SURFACE WEAR PROTECTOR

- CFIA approved – Low Odor, Low VOC
- Slip Resistance .7 on James scale
- UV Stable – non-yellowing
- Indoor/Outdoor
- Efflorescent and corrosion resistant
- Easy Application – Fast dry & cure
- Up to 24 HR Stain Protection

ITEM	DESCRIPTION
WM-006-0130-04	ULTRAguard Sealer and Surface Wear Protector, 1 Quart
WM-006-0152-00	ULTRAguard Sealer and Surface Wear Protector, 1 Gallon
WM-006-0130-01	ULTRAguard Sealer and Surface Wear Protector, 2.5 Gallon
WM-006-0130-00	ULTRAguard Sealer and Surface Wear Protector, 5 Gallon

ULTRAhard Lithium™ Densifier

- Tightens floor to promote a safer environment
- Creates a harder more durable floor
- Environmentally Friendly - CFIA approved
- Easy spray & microfiber, fast cure application
- Optimizes shine as part of the Grinding & Polishing Process.

ITEM	DESCRIPTION
WM-003-0245-00	ULTRAhard Lithium Silicate Densifier, 1 Quart
WM-003-0246-00	ULTRAhard Lithium Silicate Densifier, 1 Gallon
WM-003-0247-00	ULTRAhard Lithium Silicate Densifier, 2.5 Gallon
WM-003-0248-00	ULTRAhard Lithium Silicate Densifier, 5 Gallon

Diamatic

FLOR-SIL™ HARDENER / DENSIFIER

- For use In the Grinding, Polishing and Repolishing Process. (Metal / Resin-bonded Abrasives) of Concrete and Terrazzo Surfaces.

ITEM	DESCRIPTION
DIA-100-5	UltraFlor FLOR-SIL Lithium Densifier - 5 Gallon

FLOR-CLEAN™ NEUTRAL PH CLEANER

- Designed for cleaning polished concrete and exposed concrete flooring

ITEM	DESCRIPTION
DIA-107-1	UltraFlor FLOR-CLEAN PH Neutral Cleaner - 1 Gallon

FLOR-FILL™ (RSG) REACTIVE SURFACE GROUT

- NEW pin hole and void filler for polished concrete and for the PC-5614 Topping System.
- Reactive product, superior results.

ITEM	DESCRIPTION
DIA-UF-RSG-5	UltraFlor FLOR-FILL Reactive Surface Grout - 5 Gallon

FLOR-FINISH™ STAIN AND WEAR PROTECTION

- Lithium fortified finish for deep penetration, increased surface hardness and superior reflectivity on concrete, stone and terrazzo floors

ITEM	DESCRIPTION
DIA-0900-5	UltraFlor FLOR-FINISH Stain and Wear Protection Treatment - 5 Gallon
DIA-0900-1	UltraFlor FLOR-FINISH Stain and Wear Protection Treatment - 1 Gallon

PCD WITH TCD SHARK

- Excellent tool for aggressive removal of epoxy
- Very good for removing high build coatings
- Very good for removing cement levellers and toppings
- Use on concrete
- Speed Range: 400–900 rpm

ITEM	DESCRIPTION
WM-002-1349-00	Plug 'N Go PCD w/TCD Shark CW (Clockwise)
WM-002-1350-00	Plug 'N Go PCD w/TCD Shark CCW (Counterclockwise)

PROFESSIONAL SHARK HD* 16 GRIT

- Durable, premium quality tool
- General purpose for coating removal, profiling and grinding
- Good for thin mil coating
- Use on concrete with HD tooling
- Speed Range: 450–850 rpm

**HD Tooling for Titan and Colossos models only*

ITEM	DESCRIPTION
WM-002-1493-00	Plug 'N Go HD 2 Segment Shark (Gold – Soft Bond)
WM-002-1426-00	Plug 'N Go HD 2 Segment Shark (White – Medium Bond)
WM-002-1427-00	Plug 'N Go HD 2 Segment Shark (Yellow – Hard Bond)

HYBRID COPPER/METAL

- Copper/metal resin bond tool
- Excellent transition tool
- Can be used in place of metal bond tools
- Speed Range: 450-1000 RPM
- For use on soft concrete MOHS 3-5.5

ITEM	DESCRIPTION
WM-003-0221-01	Hybrid Copper/Metal Resin 30 Grit
WM-003-0222-01	Hybrid Copper/Metal Resin 50 Grit
WM-003-0223-01	Hybrid Copper/Metal Resin 100 Grit
WM-003-0224-01	Hybrid200 Copper/Metal Resin 200Grit

ACHROMIC-TRANSITIONAL

- Does not drop colour. Colourless Resin
- Excellent for removing scratches
- Can be used in place of metal bond tools
- Speed Range: 450-800RPM
- For use on hard concrete MOHS 6-8.5

ITEM	DESCRIPTION
WM-003-0245-00	Achromic 30 Grit
WM-003-0246-00	Achromic 50 Grit
WM-003-0247-00	Achromic 100 Grit
WM-003-0248-00	Achromic 200 Grit

PROFESSIONAL RESIN

- Excellent, long lasting polishing tool
- Runs dry
- Produces high shine
- Excellent for clarity and shine
- Speed Range: 500-1800 RPM

ITEM	DESCRIPTION
WM-003-0233-00	Professional Resin 30 Grit
WM-003-0234-00	Professional Resin 50 Grit
WM-003-0235-00	Professional Resin 100 Grit
WM-003-0236-00	Professional Resin 200 Grit
WM-003-0237-00	Professional Resin 400 Grit
WM-003-0238-00	Professional Resin 800 Grit
WM-003-0239-00	Professional Resin 1500 Grit
WM-003-0240-00	Professional Resin 3000 Grit

STANDARD RESIN

- Excellent, long lasting polishing tool
- Runs dry
- Produces high shine
- Excellent for clarity and shine
- Speed Range: 500-1800 RPM

ITEM	DESCRIPTION
WM-003-0225-00	Standard Resin 30 Grit
WM-003-0226-00	Standard Resin 50 Grit
WM-003-0227-00	Standard Resin 100 Grit
WM-003-0228-00	Standard Resin 200 Grit
WM-003-0229-00	Standard Resin 400 Grit
WM-003-0230-00	Standard Resin 800 Grit
WM-003-0231-00	Standard Resin 1500 Grit
WM-003-0232-00	Standard Resin 3000 Grit

DON'T SEE THE TOOLING YOU NEED? **ASK US!**

1 SEGMENT HD* 16 GRIT

- Durable, premium quality tool
- For coating removal, profiling, grinding, polishing
- Ideal on uneven floors where levelling is required
- Very good for first steps of polishing process
- Use on concrete
- Speed Range: 450–1000 rpm

**HD Tooling for Titan and Colossos models only*

ITEM	DESCRIPTION
WM-002-1487-00	1 SEGMENT HD 16 Grit (Gold – Soft Bond)
WM-002-1415-00	1 SEGMENT HD 16 Grit (White – Medium Bond)
WM-002-1418-00	1 SEGMENT HD 16 Grit (Yellow – Hard Bond)

HD* & STANDARD TEARDROP TOOLING

- Durable, premium quality tool
- Designed for polishing concrete, stone & terrazzo
- Very good on uneven floors where levelling is required
- Good for thin mil coating removal
- Speed Range: 450–1000 RPM

**HD Tooling for Titan and Colossos models only*

SOFT

ITEM	DESCRIPTION
WM-002-1481-00	Plug 'N Go HD TearDrop, 16 Grit Soft
WM-002-1482-00	Plug 'N Go HD TearDrop, 30/40 Grit Soft
WM-002-1483-00	Plug 'N Go HD TearDrop, 70/80 Grit Soft
WM-002-1484-00	Plug 'N Go Standard TearDrop, 16 Grit Soft
WM-002-1485-00	Plug 'N Go Standard TearDrop, 30/40 Grit Soft
WM-002-1486-00	Plug 'N Go Standard TearDrop, 70/80 Grit Soft

MEDIUM

ITEM	DESCRIPTION
WM-002-1499-00	Plug 'N Go HD TearDrop, 16 Grit Medium
WM-002-1500-00	Plug 'N Go HD TearDrop, 16 Grit Medium
WM-002-1501-00	Plug 'N Go HD TearDrop, 70/80 Grit Medium
WM-002-1502-00	Plug 'N Go Standard TearDrop, 16 Grit Medium
WM-002-1503-00	Plug 'N Go Standard TearDrop, 16 Grit Medium
WM-002-1504-00	Plug 'N Go Standard TearDrop, 70/80 Grit Medium

HARD

ITEM	DESCRIPTION
WM-002-1505-00	Plug 'N Go HD TearDrop, 16 Grit Hard
WM-002-1506-00	Plug 'N Go HD TearDrop, 30/40 Grit Hard
WM-002-1507-00	Plug 'N Go HD TearDrop, 70/80 Grit Hard
WM-002-1508-00	Plug 'N Go Standard TearDrop, 16 Grit Hard
WM-002-1509-00	Plug 'N Go Standard TearDrop, 30/40 Grit Hard
WM-002-1510-00	Plug 'N Go Standard TearDrop, 70/80 Grit Hard

REFINE II POLISHING RESIN

- Quality 6mm thick
- For medium to heavy machines

ITEM	DESCRIPTION
DIA-DIAITS800200-2	200 Grit 3" Resin (Blue)
DIA-DIAITS800400-2	400 Grit 3" Resin (Red)
DIA-DIAITS800800-2	800 Grit 3" Resin (White)
DIA-DIAITS801500-2	1500 Grit 3" Resin (Yellow)
DIA-DIAITS803000-2	3000 Grit 3" Resin (Green)

LYNX HIGH RPM FIBER RESIN

- Rejuvenation and polishing high RPM runs wet or dry
- High production ranges 10-20,000'
- All grits available 7", 9.5", 11", 12" and 15" runs with our velcro pad holder



ITEM	DESCRIPTION
DIA-LYNX9100	100 Grit 9.5" LYNX Fiber Resin 735/780
DIA-LYNX9200	200 Grit 9.5" LYNX Fiber Resin 735/780
DIA-LYNX9400	400 Grit 9.5" LYNX Fiber Resin 735/780
DIA-LYNX9800	800 Grit 9.5" LYNX Fiber Resin 735/780
DIA-LYNX91500	1500 Grit 9.5" LYNX Fiber Resin 735/780
DIA-LYNX93000	3000 Grit 9.5" LYNX Fiber Resin 735/780

Diamatic

SINGLE SEGMENT DIAMONDS

- Metal Bond Single Segment Diamonds for Small Machines

ITEM	DESCRIPTION
DIA-DIA707320-2	18/20 Grit Single Segment - Med (green)
DIA-DIA707320S-2	18/20 Grit Single Segment - Soft (red)
DIA-DIA707340-2	30/40 Grit Single Segment - Med (green)
DIA-DIA707340S-2	30/40 Grit Single Segment - Soft (red)
DIA-DIA707380-2	60/80 Grit Single Segment - Med (green)

PREMIUM DOUBLE SEGMENT DIAMOND

- 15mm Premium segments
- 50% bigger than standard double segment diamond wings

ITEM	DESCRIPTION
DIA-BFL708320-2	Buffalo 18/20 Grit Extra Large Double Segment 14mm Diuamond Wing - Med (green)
DIA-BFL708320XS-2	Buffalo 18/20 Grit Extra Large Double Segment 14mm Diuamond Wing - XSoft (black)
DIA-BFL708340-2	Buffalo 30/40 Grit Extra Large Double Segment 14mm Diuamond Wing - Med (green)
DIA-BFL708340XS-2	Buffalo 30/40 Grit Extra Large Double Segment 14mm Diuamond Wing- XSoft (black)
DIA-BFL708380-2	Buffalo 60/80 Grit Extra Large Double Segment 14mm Diuamond Wing - Med (green)

SUPERFLEX RESIN HYBRID

- Hybrid-Rubber backed premium long life
- 15mm thick for larger platforms 800 lbs. and more

ITEM	DESCRIPTION
DIA-DIA3SUPERFLEX200	200 Grit 3" SuperFlex Hybrid
DIA-DIA3SUPERFLEX400	400 Grit 3" SuperFlex Hybrid
DIA-DIA3SUPERFLEX800	800 Grit 3" SuperFlex Hybrid
DIA-DIA3SUPERFLEX1500	1500 Grit 3" SuperFlex Hybrid
DIA-DIA3SUPERFLEX3000	3000 Grit 3" SuperFlex Hybrid

10 SEGMENT PUCK

- For medium to heavy machines 700-1000 lbs., wet or dry

ITEM	DESCRIPTION
DIA-18/20PLUG	18/20 Grit 10 Segment Diamond Metal Puck - Med (green)
DIA-18/20PLUG-XS	8/20 Grit 10 Segment Diamond Metal Puck - XSoft (black)
DIA-30/40PLUG	30/40 Grit 10 Segment Diamond Metal Puck - Med (green)
DIA-30/40PLUG-XS	30/40 Grit 10 Segment Diamond Metal Puck - XSoft (black)
DIA-60/80PLUG	60/80 Grit 10 Segment Diamond Metal Puck - Med (green)

SEMI METAL PUCK

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
DIA-DIASEMI50	3" Semi Metal 50 Grit Puck
DIA-DIASEMI100	3" Semi Metal 100 Grit Puck

CERAMIC TRANSITIONAL DIAMONDS

- Long life
- Great transition from metal bonds to resins
- Made from hybrid ceramic resint
- For use with medium to large grinders

ITEM	DESCRIPTION
DIA-PA-103050	#0 Grit 3" Transitional Diamond
DIA-PA-103100	#1 Grit 3" Transitional Diamond
DIA-PA-103400	#4 Grit 3" Transitional Diamond

DON'T SEE THE TOOLING YOU NEED? **ASK US!**

DIAMOND WING SCREW ON ADAPTER PLATES

- For heavy grinding on concrete with BMG-735 & BMG-780 Machines

ITEM	DESCRIPTION
DIA-BG200993-1	Diamond Wing Screw on Plate for BMG780-735

DIAMAG PLATE

- Eliminate the need for any tools to change or replace diamond tooling or polishing dots. Simple hand and finger leverage can remove the segments

ITEM	DESCRIPTION
DIA-E07185	BMG535-580 DIAMAG Plate

SUPERMAG ADAPTER PLATE

- SuperMag magnetic plate for use with BMG-735 & BMG-780 Machines

ITEM	DESCRIPTION
DIA-BG200999-2	Quarter Round PCD Diamond Wing - right

PCD DOUBLE SEGMENT DIAMOND WING

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
WM-002-1481-00	Plug 'N Go HD TearDrop, 16 Grit Soft

PCD DIAMOND WING

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
DIA-BG200995-2	Full Round PCD Diamond Wing - Right
DIA-BG200995L-2	Full Round PCD Diamond Wing - left

PCD DIAMOND WING

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
DIA-BG200999-2	Quarter Round PCD Diamond Wing - right

9 SEG CUP WHEEL

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
DIA-CG-59ETB	5" 9 Segment Cup Wheel

12 SEG CUP WHEEL

- For concrete cleaning
- Thin coating removal
- edging and concrete removal

ITEM	DESCRIPTION
DIA-CG-712ETB	7" 12 Segment Cup Wheel

BUSH HAMMER

- For heavy grinding concrete
- For use on thick coating removal, rubberized coatings, parking deck materials and overlay removal.

ITEM	DESCRIPTION
DIA-E10240	Black Cuter Plate with Bush Hammers
DIA-RIGIDHEAD-780	Rigid Head Assembly for Bush Hammers Plates
DIA-E09119-1/SET15	Replacement Bush Hammer - Set of 15 Pieces

FLOR GRIT PADS

- For achieving and maintaining a high-polish shine on concrete without application of additional coatings

ITEM	DESCRIPTION
DIA-PA-109400	27" FLOR Grit Pad - 400 Grit
DIA-PA-10993	27" FLOR Grit Pad - 800 Grit
DIA-PA-10994	27" FLOR Grit Pad -1500 Grit
DIA-PA-10995	27" FLOR Grit Pad -3000 Grit

DIAMAG RESIN ADAPTER

- Designed to fit all popular floor polishing and grinding machines

ITEM	DESCRIPTION
DIA-E10366	3" Resin Adapter Plate

VELCRO BACKING PAD

ITEM	DESCRIPTION
DIA-PP-D7	7" Velcro Backing Pad - 5/8" 11 Thread

VELCRO ADAPTER PLATE

- Adapter plate for use with BMG-735 & BMG-780 Machines

ITEM	DESCRIPTION
DIA-LYNXPLATE-7	Velcro Adapter Plate for BMG 735-780

SAFETY EXPRESS
part of the Aramsco family

VANCOUVER
100-3171 No. 6 Rd.
Richmond, B.C. V6V 1P6
604.244.8005

KELOWNA
1521 Keehn Rd.
Kelowna, BC V1X 5T5
250.862.5958

CALGARY
101-3750 19th St. NE
Calgary, AB T2E 6V2
403.243.8324

EDMONTON
17313 111 Ave. NW
Edmonton, AB T5S 0A8
780.486.4889

SASKATOON
326-68th St. E
Saskatoon, SK S7P 0E3
306.933.3365

WINNIPEG
1725 St. James St, Unit 3
Winnipeg, MB R3H 1H3
204.697.0087

TORONTO
1-3680 Odyssey Dr.
Mississauga, ON L5M 0Y9
905.608.0111

OTTAWA
1290 Old Innes Rd. #707
Ottawa, ON K1B 5M6
613.526.5800

MONTRÉAL
1965 55th Ave
Dorval, QC H9P 1G9
514.339.9919

QUÉBEC CITY
125 rue Fortin, local 190
Québec, QC G1M 3M2
418.682.2977

MONCTON
222 Edinburgh Dr. #180
Moncton, NB E1E 4C7
506.852.7090

HALIFAX
20 Gurholt Dr,
Dartmouth, NS B3B 1J9
902-593-1500

1.800.465.3898 **safetyexpress.com**